



NZ Woodtex Ltd P O Box 109
 Herschel Street Ngaruawahia
 3742 New Zealand
 Ph: +64 7 824 8789 Fax: +64 7 824 9108
 woodtex@xtra.co.nz www.woodtex.co.nz

R VALUE

THERMAL CHART - LAMINATING WOODTEX WITH KOOLFOAM

Black Pearl - Thickness	<i>Black Pearl</i>	<i>Woodtex - 25mm</i>	<i>Woodtex - 38mm</i>	<i>Woodtex - 50mm</i>	<i>Woodtex - 75mm</i>
Woodtex Panel - R Value -		0.31	0.47	0.63	0.90
20mm	0.62	0.93	1.09	1.25	1.52
25mm	0.80	1.11	1.27	1.43	1.70
30mm	0.96	1.27	1.43	1.59	1.86
35mm	1.13	1.44	1.60	1.76	2.03
40mm	1.30	1.61	1.77	1.93	2.20
45mm	1.45	1.76	1.92	2.08	2.35
50mm	1.61	1.92	2.08	2.24	2.51
55mm	1.77	2.08	2.24	2.40	2.67
60mm	1.93	2.24	2.40	2.56	2.83
65mm	2.09	2.40	2.56	2.72	2.99
70mm	2.26	2.57	2.73	2.89	3.16
75mm	2.41	2.72	2.88	3.04	3.31
80mm	2.58	2.89	3.05	3.21	3.48
85mm	2.74	3.05	3.21	3.37	3.64
90mm	2.90	3.21	3.37	3.53	3.80
95mm	3.06	3.37	3.53	3.69	3.96
100mm	3.22	3.53	3.69	3.85	4.12
105mm	3.38	3.69	3.85	4.01	4.28